

**REMARKS**


Attached hereto is a marked-up version of the changes made to the claims by the current Amendment. The attached page is captioned "**Version with markings to show changes made**".

Entry of the above amendments prior to examination is respectfully requested.

Please charge any shortage in fees due in connection with the filing of this paper, or credit any overpayment of fees, to the deposit account of Antonelli, Terry, Stout & Kraus, LLP, Deposit Account No. 01-2135 (500.40857X00).

Respectfully submitted,

ANTONELLI, TERRY, STOUT & KRAUS, LLP

  
\_\_\_\_\_  
Carl I. Brundidge  
Registration No. 29,621

CIB/jdc  
(703) 312-6600

**VERSION WITH MARKINGS TO SHOW CHANGES MADE**

**IN THE CLAIMS**

Please amend the claims as follows:

1. (Amended) An image data conversion apparatus for converting transmitted compressed image data into ~~to~~ image data of a different format and displaying the converted image data on a display apparatus, comprising:

a first signal processing unit for receiving and decoding said compressed image data;

a recording unit for recording ~~said~~ the decoded image data, said recording unit reading out said image data one line by one line at a scanning line period of said display apparatus under control of said first signal processing unit; and

a second signal processing unit for converting image data read out of said recording unit to image data of a screen size of said display apparatus.

2. (Amended) An image data conversion apparatus according to claim 1, wherein said first signal processing unit includes a conversion ~~decimation~~ processing section for ~~decimating said decoded image data to eliminate certain~~ eliminating a predetermined number of lines from said decoded image data so that image data of a same number of lines as that of the display apparatus can be read out from said recording unit.

6. (Amended) An image data conversion apparatus according to claim 5, wherein a size of the image to be displayed on said display apparatus is a same size as Standard Definition Television SDTV.

7. (Amended) An image data conversion apparatus according to claim 6, wherein said conversion processing section ~~recording unit~~ eliminates data of every sixth line of said decoded image data of Common Intermediate Format (CIF) type.

8. (Amended) An image data conversion apparatus according to claim 7, wherein at each time when data of one line data is read out from said recording unit, said second signal processing unit adds said one line read data and ~~data~~ one line before at a predetermined ratio to generate image data of one line to be displayed on said display apparatus.

9. (Amended) An image data conversion apparatus according to claim 1, wherein said transmitted ~~inputted~~ compressed image data is of MPEG-4 compression type ~~image data~~.

10. (Amended) An image data conversion apparatus for converting compressed image data transmitted ~~transferred~~ in a units of a field into ~~to~~ image data of a different format and displaying the converted image data so as to be displayed on a display apparatus, comprising:

a first signal processing unit for receiving said compressed image data in the ~~units~~ unit of the ~~a~~ field and decoding said compressed image data;

a recording unit for recording the ~~said~~ decoded image data, said recording unit reading out said image data one line by one line at a scanning line period of said display apparatus under control of said first signal processing unit; and

a second signal processing unit for converting image data read out ~~from~~ of said recording unit ~~into~~ to image data of a screen size of said display apparatus, said second signal processing unit including an inverse converter for converting said image data of each field ~~into~~ to an odd field image data and an even field image data.

11. (Amended) An image data conversion apparatus according to claim 10, wherein a type of image read out from said recording unit is of Common Intermediate Format (CIF), and a size of image to be displayed on said display apparatus is a same size as Standard Definition Television (SDTV).

12. (Amended) An image data conversion apparatus according to claim 10, wherein said inverse converter includes a line memory by which said image data of each line read out from said recording unit is delayed by one line, and a digital filter for that receiving ~~receives~~ image data of a current line and said image data of read ~~of~~ one line before from said line memory, multiplying multiplies ~~multiplies~~ said both of said image ~~of~~ data by predetermined conversion coefficients, respectively, and then adding adds ~~then adding~~ these data resulting from the ~~resulting from the~~ multiplications.

13. (Amended) An image data conversion apparatus according to claim 10, wherein said first signal processing unit includes a conversion ~~decimation~~ processing section for eliminating that decimates the decoded image data to eliminate ~~for eliminating that decimates the decoded image data to eliminate~~ a predetermined number ~~number~~ of lines from said the ~~of lines from said the~~ decoded image data so that image data having a same number of lines as that of either one of ~~either one of~~ an odd field ~~or~~ an even field of said display apparatus is read out from

said recording unit.

15. (Amended) An image data conversion apparatus according to claim 10, further comprising a bus for connecting said first and second signal processing units, wherein said recording unit is connected to said bus, and wherein said image data from said first signal processing unit is ~~onee~~ stored in said recording unit and ~~then~~ read out at every line so as to be supplied to said second signal processing unit.

16. (Amended) An image data conversion method for converting transmitted compressed image data into ~~to~~ image data of a different format and displaying the converted image data on a display apparatus, comprising the steps of:

decoding said compressed image data;

recording said decoded image data;

reading out said recorded image data one line by one line at a scanning line period of said display apparatus; and

converting image data read out of said recording unit into ~~to~~ image data of a screen size of said display apparatus.

17. (Amended) An image data conversion method according to claim 16, wherein said step of reading out includes a step of eliminating a predetermined number of lines from ~~decimating~~ said decoded image data ~~to eliminate predetermined lines~~ so that image data having the same number of lines as that of said display apparatus is read out.

20. (Amended) An image data conversion method according to claim 18,

wherein said step of reading out includes a step of eliminating ~~decimating~~ said decoded image data ~~at of CIF type to remove~~ every sixth line of said decoded image data of Common Intermediate Format (CIF) type.

21. (Amended) An image data conversion method according to claim 20, wherein said step of eliminating ~~converting~~ includes, at each time when data of one line data is read out, a step of adding said one line read data and data one line data before at a predetermined ratio to ~~thereby~~ produce one line of image data to be displayed on said display apparatus.

22. (Amended) An image data conversion method according to claim 16, wherein said transmitted compressed image data is of Common Intermediate Format (CIF) type, said screen size of said display apparatus is of Standard Definition Television (SDTV) having each frame constituted by odd and even fields, and said step of eliminating ~~converting~~ includes a step converting said read image data of CIF type into ~~to~~ image data of odd field, and then into ~~to~~ image data of even field.

23. (Amended) An image data conversion method according to claim 22, wherein said step of converting includes a step of delaying the image data of each line of said read image data by one line period ~~by storing said line~~ in a line memory, multiplying image data of a current line and image data of one line before by predetermined conversion coefficients, respectively, and adding said multiplied data in a digital filter.

24. (Amended) An image data conversion method according to claim 22,

wherein said step of reading out includes a step of eliminating ~~decimating~~ said ~~decoded image data to remove a~~ predetermined number of lines so that image data having a same number of lines as that of an odd field or an even field of said display apparatus is generated.

25. (Amended) An image data conversion method according to claim 24, wherein said predetermined number of lines removed from said decoded image are same lines for the odd and even fields.

26. (Amended) An image data conversion method according to claim 22, wherein said decoded image data is ~~once~~ stored in a recording unit and ~~then~~ read line by line.